


RS-PT26

Flexible & Printable UHF On-metal Label

RS-PT26 Flexible & Printable UHF On-metal Label

This flexible label can be stuck on metallic asset easily, specially for irregular and uneven surface. it has good performance on metal surface, can be print and encoding by RFID printer.



Specification

Physical Features

Material	PET/Aluminum Foil/Foam
Dimensions	100x40x1mm (Customization)
Working Temp	-40~ +85°C
Storage Temp	23±3 °C
IP Rating	IP68 (Test for 5 hours at 1m deep water)


RFID Features

RFID Standard	ISO/IEC 18000-6C (EPC Gen2)
Chip Type	NXP UCode 8
Memory	User-N/A; EPC - 128 bits; TID - 96 bits
Read Range(Fixed Reader)	FCC: 14m, on metal; ETSI: 12m, on metal
Read Range(2W ERP ETSI)	FCC: 8m, on metal; ETSI: 7m, on metal

Other Features


Data Storage	> 10 years
Re-write	100,000 times
Installation	Adhesive
Support Printer	SATO CL4NX, Zebra ZT410 Silverline, Postek TX3r, etc.
Customization	Printing LOGO, Barcode, Serial number, Encoding, Designing, etc.
Application	Metallic container tracking Equipment & device tracking Warehouse shelf Automotive components tracking IT asset tracking, etc.

Dimensions



RS-PT26 Flexible & Printable UHF On-metal Label




Read Range



Application



 **RuiSing Technology Company (Hong Kong) Limited**

 www.rstc-hk.com  +86-755-2692 2853  sales@rstc-hk.com

 **HONGKONG** Shun Luen Factory Building, No.86 To Kwa Wan

 **SHENZHEN** 9/F, Xinjing Mansion, Xinqu Blvd, Longhua District

