




RS-PT02


Flexible & Printable UHF on Metal Label

RS-PT02 Flexible & Printable UHF on Metal Label

This flexible label can be stuck on metallic asset easily, specially for irregular and uneven surface, it has good performance on metal surface, can be print and encoding by RFID printer.



Dimensions



Specification


Physical Features	
Material	PET/Aluminum Foil/Foam
Dimensions	95x22x1.25mm (Customization)
Working Temp	-40~ +85°C
Survive Temp	-40~+120°C
IP Rating	IP68 (Test for 5 hours at 1m deep water)
RFID Features	
RFID Standard	EPC C1G2 (ISO18000-6C)
Chip Type	Impinj Monza R6-P
EPC Memory	128(96)bits
User Memory	32(64) bits
Read Range(2W ERP FCC)	0~12m
Read Range(2W ERP ETSI)	0~8m
Other Features	
Data Storage	> 10 years
Re-write	100,000 times
Installation	Adhesive
Support Printer	SATO CL4NX, Zebra ZT410 Silverline, Postek TX3r, etc.
Customization	Logo, barcode/QR code, number printing, encoding, antenna design, etc.
Application	Metallic container tracking Equipment & device tracking Warehouse shelf Automotive components tracking IT asset tracking, etc.

RS-PT02


Flexible & Printable UHF on Metal Label

Read Range

FCC on Metal/off Metal



ETSI on Metal/off Metal



Application

